
## **AMENDMENTS TO THE CLAIMS:**

Without prejudice or disclaimer, this listing of claims will replace all prior versions and listings of claims in the application:


1. (Currently Amended) A process for preparing a chiral ester expressed in according to formula (100),



wherein R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup> are, independently, optionally substituted alkyl, optionally substituted aryl or optionally substituted cycloalkyl group, and wherein R<sup>1</sup> and R<sup>2</sup> can be cyclized each with other,

wherein the process comprises by reacting;

• racemic alcohol of formula (4),



wherein R<sup>1</sup> and R<sup>2</sup> are as defined above;

\_\_ruthenium complex selected from the group consisting of compounds 1, 2, and 3 expressed in formulas (1), (2), and (3) to activate racemization of said racemic alcohol, wherein:

FINNEGAN HENDERSON FARABOW GARRETT & DUNNERLL

$$X \xrightarrow{\text{Ru} \cdot ''' /' / \text{PPh}_3} \text{PPh}_3 \tag{1}$$

$$Y_{2}$$

$$Y_{1}$$

$$Y_{6}$$

$$X$$

$$Y_{12}$$

$$Y_{10}$$

$$Y_{10}$$

$$Y_{10}$$

$$Y_{10}$$

$$Y_{10}$$

$$Y_{2}$$

$$Y_{10}$$

$$Y_{2}$$

$$Y_{10}$$

$$Y_{2}$$

$$Y_{10}$$

$$Y_{2}$$

$$Y_{10}$$

$$Y_{2}$$

wherein Y<sub>1</sub>, Y<sub>2</sub>, Y<sub>3</sub>, Y<sub>4</sub>, Y<sub>5</sub>, Y<sub>6</sub>, Y<sub>7</sub>, Y<sub>8</sub>, Y<sub>9</sub>, Y<sub>10</sub>, Y<sub>11</sub>, and Y<sub>12</sub> are independently a hydrogen atom or C<sub>1</sub>-C<sub>5</sub> alkyl group; and X is Br, Cl or I; and

$$Y_{2}$$

$$Y_{6}$$

$$X$$

$$Y_{12}$$

$$Y_{8}$$

$$Y_{12}$$

$$Y_{10}$$

$$Y_{9}$$

$$Y_{10}$$

$$Y$$

wherein Y<sub>1</sub>, Y<sub>2</sub>, Y<sub>3</sub>, Y<sub>4</sub>, Y<sub>5</sub>, Y<sub>6</sub>, Y<sub>7</sub>, Y<sub>8</sub>, Y<sub>9</sub>, Y<sub>10</sub>, Y<sub>11</sub>, and Y<sub>12</sub> are independently a hydrogen atom or C<sub>1</sub>-C<sub>5</sub> alkyl group; and X is Br, Cl or I;

- a lipase to acylate one enantiomer selectively from said racemic alcohol;
  - an acyl donor compound to supply acyl group to said lipase;


FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

wherein  $Y_4$ ,  $Y_2$ ,  $Y_3$ ,  $Y_4$ ,  $Y_5$ ,  $Y_6$ ,  $Y_7$ ,  $Y_8$ ,  $Y_9$ ,  $Y_{10}$ ,  $Y_{11}$ , and  $Y_{12}$  are independently a hydrogen atom or  $C_1$ - $C_5$  alkyl group; and X is Br, Cl or I;

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LP

wherein Y<sub>1</sub>, Y<sub>2</sub>, Y<sub>3</sub>, Y<sub>4</sub>, Y<sub>5</sub>, Y<sub>6</sub>, Y<sub>7</sub>, Y<sub>8</sub>, Y<sub>9</sub>, Y<sub>10</sub>, Y<sub>11</sub>, and Y<sub>12</sub> are independently a hydrogen atom or C<sub>1</sub>-C<sub>5</sub> alkyl group; and X is Br, Cl or I; and






wherein R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup> are, independently, optionally substituted alkyl, optionally substituted aryl or optionally substituted cycloalkyl group and R<sup>1</sup> and R<sup>2</sup>, R<sup>4</sup> and R<sup>3</sup>, and R<sup>2</sup> and R<sup>3</sup> can be cyclized each other, where said substituent of alkyl, aryl and cycloalkyl is a hetero atom such as a halogen atom and a cyano group.

2. (Currently Amended) The process for preparing a chiral ester according to claim 1, wherein said racemic alcohol is selected from the group consisting of the compounds 4a, 4b, 4c, 4d, 4e and 4f-

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

- 3. (Original) The process for preparing a chiral ester according to claim 1, wherein said lipase is selected from the group consisting of *Pseudomonas cepacias* lipase and *Candida antarctica* lipase.
- 4. (Currently Amended) The process for preparing a chiral ester according to claim 1, wherein said ruthenium complex is selected from the group consisting of compounds 5, 6, 7, 8, 9, 10, 11 and 12,



FINNEGAN HENDERSON FARABOW GARRETT & DUNNERLLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com

(5)

(7)

$$X \xrightarrow{Ru._{m_{1}}} PPh_{3}$$

$$PPh_{3}$$
(6)

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER

(10)

$$Ru$$
 $Ru$ 
 $Ru$ 

(11)

(12)

FINNEGAN HENDERSON FARABOW GARRETT & DUNNERLLP

1300 I Street, NW Washington, DC 20005 202.408.4000 Fax 202.408.4400 www.finnegan.com wherein X is CI, Br or I, the most preferably CI.

- 5. (Original) The process for preparing a chiral ester according to claim 3, wherein X is Cl.
- 6. (Original) The process for preparing a chiral ester according to claim 1, wherein said reaction requires use of oxygen gas.
- 7. (Original) The process for preparing a chiral ester according to claim 1, wherein a content of said ruthenium complex or its derivatives is in the range of 0.1 to 5mol% to said racemic alcohol.
- 8. (Currently Amended) The process for preparing a chiral ester according to claim 1, wherein said acyl donor compound is <u>selected from an</u> aryl ester.
- 9. (Currently Amended) The process for preparing a chiral ester according to claim [[7]]8, wherein said aryl ester is selected from the group consisting of *p*-chlorophenyl acetate and alkenyl acetate.
- 10. (New) The process according for preparing a chiral ester according to claim 1, wherein the substituent of the alkyl, aryl and cycloalkyl groups are chosen from halogen atoms, and alkoxy and cyano groups.
- 11. (New) The process for preparing a chiral ester according to claim 1, wherein said acyl donor compound is selected from an alkenyl acetate.

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

12. (New) The process for preparing a chiral ester according to claim 11, wherein said alkenyl acetate is selected from isopropenyl acetate.

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP